

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

_	ann	7 i	cat	ion	Ωf	
C	app.	$_{\rm T}$	Cat	TOIL	OL	٠

Calvez et al.

Group Art Unit: Unknown

Serial No. 10/550,843

Examiner: N/A

Filed: March 24, 2004 (I.A.)

For:

IMPROVEMENTS IN AND RELATING TO VERTICAL-CAVITY SEMICONDUCTOR

OPTICAL DEVICES

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450, on or before

Date

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Applicant wishes to call to the attention of the Examiner the documents cited on the accompanying Form PTO-1449. concession is made that these documents are prior art, applicant expressly reserves the right to antedate the documents as may be appropriate. Applicant requests that each of these documents be made of record in the above-identified application.

Respectfully submitted,

Attorne for Applicant

Reg. No. 25,612

4 Venture, Suite 300 Irvine, CA 92618

(949) 450-1750

Facsimile (949) 450-1764

Docket No.: D-3214 Application No.: 10/550,843 APR 2 0 2007 Form PTO-1449 Applicant: Calvez et al. INFORMATION DISCLOSURE CITATION IN AN APPLICATION Filing Date: March 24, 2004 Group Art Unit: Unknown (Use several sheets if necessary **U. S. PATENT DOCUMENTS EXAMINER** DOCUMENT NUMBER DATE NAME CLASS SUBCLASS FILING DATE INITIAL IF APPROPRIATE 09/1991 Mahbobzadeh et al. 5,052,016 10/1995 5,461,637 Mooradian et al. 04/1996 Damen 5,513,203 5,627,853 05/1997 Mooradian et al. 09/2003 Aldaz et al. 6,628,695 06/2002 2002/0075929 Cunningham FOREIGN PATENT DOCUMENTS **DOCUMENT NUMBER** DATE COUNTRY CLASS SUBCLASS TRANSLATION YES WO 95/25366 09/1995 International 03/1999 International WO 99/12235 WO 00/10234 02/2000 International WO 00/12235 03/2000 International WO 00/25398 04/2000 International 04/2000 WO 00/25399 International WO 01/59895 08/2001 International WO 02/47223 06/2002 International OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) W.J. Alford et al., "High Power and good beam quality at 980 nm from a vertical external-cavity AA surface-emitting laser", Journal of the Optical Society of America B (Optical Physics) Opt. Soc. America USA, Vol. 19, No. 4, pages 663-666, 2002. C. Asplund et al, "1260 nm InGaAs vertical-cavity lasers", Electronics Letters, Vol. 38, No. 13, AB **2002**, p.635-636 AC D.I. Babic et al., "Double-fused 1.52-µm vertical-cavity lasers", Appl. Phys. Lett.(9), 27, 1995, P.1030-1032. W.W. Bewley et al, "Thermal Characterization of Diamond-Pressure-Bond Heat Sinking for AD Optically Pumped Mid-Infrared Lasers", IEEE Journal of Quantum Electronics, Vol. 35, No. 11, **1999**. p. 1597-1601. E. Staffan Björlin, "High Gain, High Efficiency Vertical-Cavity Semiconductor Optical Amplifiers", ΑE IPRM, 2002, p. 307-310. A. Black, "Wafer Fusion: Materials Issues and Device Results", IEEE Journal Sel. Topics in AF Quantum Electronics, Vol. 3, No. 3, 1997, p. 943-951. **DATE CONSIDERED EXAMINER** EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered.

include copy of this form with next communication to the applicant.

Docket No.: D-3214 Application No.: 10/550,843 Form PTO-1449 Applicant: Calvez et al. INFORMATION DISCLOSURE CITATION IN AN APPLICATION Filing Date: March 24, 2004 Group Art Unit: Unknown (Use several sheets if necessary **U. S. PATENT DOCUMENTS EXAMINER** DOCUMENT NUMBER DATE CLASS SUBCLASS **FILING DATE** INITIAL IF APPROPRIATE FOREIGN PATENT DOCUMENTS **DOCUMENT NUMBER** COUNTRY CLASS SUBCLASS TRANSLATION YES OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) AG M.J. Bohn, "Resonant optical pumping of vertical-cavity surface emitting lasers", Optics Communications, 117(1995) p. 111-115. H. Bourdoucen, "Design of Ultra-Fast Dual-Wavelength Resonant-Cavity-Enhanced Schottky ΑH Photodetectors", IEEE Journal of Quantum Electronics, Vol. 37, No. 1, 2001, p. 63-68. S. Calvez, "Optimization of an Optically Pumped 1.3-um GalnNAs Vertical-Cavity Surface-ΑI Emitting Laser", IEEE Photonics Tech. Lett., Vol. 14, No. 2, 2002, p. 131-133. S.W. Corzine, "Design of Fabry-Perot Surface-Emitting Lasers with a Periodic Gain Structure", ΑJ IEEE Journal of Quantum Electronics, Vol. 25, No. 6, 1989, p. 1513-1524. AK R.P. Espindola, "High power, low RIN, spectrally-broadened 14xx DFB pump for application in copumped Raman amplification", ECOC, 2001. C.L. Felix et al., "High-efficiency midinfrared "W" laser with optical pumping injection cavity", Appl AL Phys Lett, Vol. 75, No. 19, 1999, p. 2876-2878. AM M.F. Ferreira et al., "Impact of Stimulated Brillouin Scattering on Fibre Raman Amplifiers", Electronics Letters, Vol. 27, No. 17, 1991, p. 1576-1577. AN C.R.S. Fludger et al., "Pump to signal RIN transfer in Raman fibre amplifiers", Electronics Letters, Vol. 37, No. 1, 2001, p. 15-17. A. Garnache et al., "Sub-500-fs soliton-like pulse in a passively mode-locked broadband surface-AO emitting laser with 100 mW average power," Applied Physics Letters, Vol. 80, No. 21, 2002, p. 3892-3894. AP M.D. Gerhold, "Novel Design of a Hybrid-Cavity Surface-Emitting Laser", IEEE Journal of Quantum Electronics, Vol. 34, No. 3, 1998, p. 506-510. AQ M.A. Hadley et al., "High single-transverse-mode output from external-cavity surface-emitting laser diodes", Appl. Phys. Lett., 63, 1607-1609, 1993. S. Hamidi et al., "Effect of Pump Laser Mode Structure on the Gain of Forward Pumped Raman AR Fibre Amplifier in the Presence of Stimulated Brillouin Scattering", Electronic Letters, Vol. 28, No. 18, **1992**, p. 1768-1770. R. Häring et al., "Picosecond surface-emitting semiconductor laser with >200 mW average AS power", Electronics Letters, Vol. 37, No. 12, 2001, p. 766-767.

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. include copy of this form with next communication to the applicant.

Quantum Electronics, Vol. 38, No. 9, 2002, p. 1268.

R. Häring et al., "High-Power Passively Mode-Locked Semiconductor Lasers", IEEE Journal of

DATE CONSIDERED

ΑT

EXAMINER

			No.				`	oneer 3 or		
Form PTO-144	9		APR 2 0 2007	Docket No.: D-3214		Application No.	: 10/550,	,843		
INFO	RMAT	TION DISCLOSURE CIT		Applicant: Calvez et al.						
IN AN APPLICATION (Use several sheets if necessary)			Filing Date: March 24, 2004 Group Art Unit: Unknown							
			U. S. PAT	ENT DOCUMENTS						
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	SS FILING DATE IF APPROPRIATE			
			FOREIGN P	ATENT DOCUMENTS						
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLA	r		
							YES	NO		
	<u> </u>	OTHER ROOMS	0 (111	. A 41	4 4	<u> </u>				
	Ι			y Author, Title, Date, F						
	AU J. Harris, "Tunable Long-Wavelength Verticle-Cavity Lasers: The Engine of Next Generation Optical Networks?" <i>IEEE Journal Sel. Topics Quant. Electron.</i> , Vol. 6, No. 6, 2000 , p. 1150.									
	AV	M.A. Holm et al, "Actively Stabilized Single-Frequency Verticle-External-Cavity AlGaAs Laser, <i>IEEE Photonics Tech. Lett.</i> 11, 12, 1999 , p. 1551.								
	AW	M.A. Holm et al, "High 1999 , pp. 5781-5784.	-power diode	de-pumped AlGaAs surface-emitting laser", Appl. Optics, 38, 27,						
	AX	The state of the s		node-locked diode-pumped Surface-emitting semiconductor laser", Vol. 12, No. 9, 2000 , p. 1135-1137.						
	AY				erformance 1.06 μm Selectively Oxidized Vertical- , Vol. 15, 1997 , p. 106-111.					
	AZ			Laser Pulse Chirping in Mode-Locked Verticle-Cavity Surface-Emitting uantum Electronics, Vol. 29, No. 5, 1993, p. 1309.						
	BA		et al., "Microwave Modulation of a Quantum-Well Laser with and without External Optical on", IEEE Photon Tech. Letters, Vol. 12, No. 7, 2001 , p. 648-650.							
	BB									
	вс									
	BD		igh-power (>0.5 W CW) Diode-pumped Vertical-External-Cavity Surface-ircular TEM ₀₀ Beams", <i>IEEE Photonics Tech. Lett.</i> , 9 , 1063-1065, 1997 .							
	BE	C.P. Lee et al., "Dual-wavelength Bragg reflectors using GaAs/AIAs multilayers", <i>Electronics Letters</i> , Vol. 29, No. 22, 1993 , p. 1980-1981.								
	BF		.L. Liau et al., "Nanometer air gaps in semiconductor wafer bonding", <i>Applied Physics Letters</i> , /ol. 78, No. 23, 2001 , p. 3726-3728.							
	BG		.L. Liau et al., "Semiconductor wafer bonding via liquid capillarity", <i>Applied Physics Letters</i> , Vol. 7, No. 5, 2001 , p. 651-653.							
	вн			rs on Si substrates usin Vol. 62(10), 1993 , p. 10		nnology of bond	ding by at	omic		
EXAMINER				DATE CONSIDERED						

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

				<u> </u>					
Form PTO-1449 APR		APR 2 0 2007	Docket No.: D-3214	Application No.: 10/550,843					
INFORMATION DISCLOSURE CITATION			Applicant: Calvez et al.						
IN AN APPLICATION (Use several sheets if necessary)			Filing Date: March 24, 2004 Group Art Unit: Unknown						
U. S. PATENT DOCUMENTS									
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS		IG DATE	
				IF APPROPRI			OPRIATE		
			<u> </u>		CLASS	SUBCLASS	TRANSLA		
					CLASS	SUBCLASS	YES	NO	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)									
	BI D.J. Lovering et al.,"Optimisation of dual-wavelength Bragg mirrors." <i>Electronics Letters</i> , Vol. 32, No. 19, 1996 , p. 1782-1784.								
	ВЈ	M.D. Mermelstein et al., "RIN transfer analysis in pump depletion regime for Raman fibre amplifiers", <i>Electronics Letters</i> , Vol. 38, No. 9, 2002 , p. 403-405.							
·	BK	P. Michler et al., "Emission Dynamics of In _{0.2} GA _{O.8} AS/GaAS λ and 2 λ Microcavity Lasers", <i>Applied Physics Letters, American Institute of Physics</i> , New York, US, Vol. 68, No. 2, 1996 , pages 156-158.							
	BL	S.S. Murtaza et al., "High-Efficiency, Dual-Wavelength, Wafer-Fused Resonant-Cavity Photodetector Operating at Long Wavelengths", <i>IEEE Phonton. Tech. Lett.</i> , Vol. 7, No. 6, 1995, p. 679-681.							
	ВМ	Y. Onishi et al., "Design and Fabrication Process of Optically Pumped GalnAsP/InP Stripe Laser with Resonant Pumping for High-Power Operation", <i>Japanese Journal of App. Phys.</i> , Vol. 40, 2001 , p. 4920-4921.							
	BN	M.Y.A. Raja et al., "Resonant Periodic Gain Surface-emitting Semiconductor Lasers", <i>IEEE J. Quantum Electron.</i> , Vol. 25, No. 6, 1989 , pp. 1500-1512.							
	во	E. Schiehlen et al., "Diode-Pumped Semiconductor Disk Laser With Intracavity Frequency Doubling Using Lithium Triborate (LBO)", IEEE Photonics Tech. Lett. 14, 6, 2002, p. 777.							
	BP	M. Schulze et al, "Efficiency Experts", Photonics Spectra, May 2001.							
	BQ	M. Schulze, "Technologischer Durchbruch mit blauen Festkörperlasern", Photonik 3, 2001.							
	BR	C. Stewen et al., "A 1-k W CW Thin Disc Laser", <i>IEEE J. of Sel. Topics Quant. Electron.</i> , Vol. 6, No. 4, 2000 , p. 650-657.							
	BS	A. Valentini et al., <i>Electronics Letters</i> , Vol. 35, No. 11, 1999 , p. 896-897.							
	ВТ	E. Yablonovitch et al., "Van der Waals bonding of GaAs epitaxial liftoff films onto arbitrary substrates", <i>Appl. Phys. Lett.</i> , Vol. 56, No. 24, 1990 , p. 2419-2421.							
	BU	F. Yang et al., "Edge-emitting quantum well laser with Bragg reflectors", <i>Appl. Phys. Lett.</i> , Vol. 66, No. 22, 1995 , p. 2949-2951.						ol. 66,	
	BV	Coherent Laser Division Coherent, Inc.	on. Sapphire	ire Optically Pumped Semiconductor Lasers, Copyright 2002,					
	вw	Coherent® Product Information. Sapphire 488 & 460 LP, Copyright 2006, Coherent, Inc.							
EXAMINER	EXAMINER DATE CONSIDERED								

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.